HEAD UARTERS
PENINSULAR BASE SECTION
MEDITERRANEAN THEATER
Office of the Theater Chief Surgeon
APO 782 US Army

ARMY MEDICAL JUL 12 1946 LIBRARY

25 June 1946

CIRCULAR LETTER No. 14

DIPHTHERIA IMMUNIZATION SECTION I

SECTION I - DIPHTHERIA IMMUNIZATION

- 1. Circular No. 91, Hq. MTOUSA, 7 June 1946, requires immunization against diphtheria for troops and other authorized personnel in the theater. Circular Letter No. 1, this office, 6 February 1946, gives information regarding the procedure. This is supplemented by the following.
- 2. Schick testing, though desirable, will be of value only when done by medical efficers experienced in the interpretation of the test and under conditions permitting thorough observation of personnel being tested. This procedure will be used only when such conditions prevail. All personnel under thirty-five (35) years of age not Schick tested and all Schick positives will be actively immunized.
- 3. Extreme caution will be exercised in administering alum-precipitated toxoid to personnel refractory to plain diphtheria toxoid. Preliminary sensitivity tests are indicated. Further immunization should not be done on those persons who exhibit definite reactions.
- 4. Weekly reports will be submitted to this office by each hospital and dispensary giving the following information. Information on all immunization against diphtheria carried out to date will be included in the first weekly report.
- a. Number of personnel receiving first (test), second, third and fourth injections.
- b. Number and type of reactions after first, second, third or fourth injections.
- c. Number of personnel whose immunizations are discontinued because of reactions after first, second, third or fourth injections.
- d. Number of personnel admitted to hospital or quarters because of reactions.

- Age groups receiving immunization.
- Lot number of toxoid and name of manufacturer. f.
- Similar data on alum-precipitated toxoid when used. g.
- h. The following tabular form may be used:

REPORT OF DIPHTHERIA IMMUNIZATION

No	:	Dogogo	: No. :	No. of	:No. in Hospital : or Quarters	: No.	: Age :	Toxoid Lot
IVO.	0	Dosage	: AUIIIIII.	neactions	· Or waarters	· DISCOIL · u	· aroups ·	TIO O CO THE CARE
lst		0.1 cc						
2nd	:	0.5 cc				•		
3rd		1.0 cc						
4th	:	1.0 cc	: :					
Alum.		1.0 cc	: :					
Prec.			: :					
Toxoid			: :			•	9 9	

REMARKS:	(Under	remarks	describe	type	and	degree	of	reactions.)	
	-									

FOR THE THEATER CHIEF SURGEON:

Lt. Colonel, M.C.

DEPUTY THEATER SURGEON